


IRON POWDER CORE SERIES PRODUCTS


Toroidal Cores




STANDARD SPECIFICATIONS

Part Number	A_L nH/N ²	OD mm	ID mm	HT mm	Le cm	Ae cm ²	V cm ³
KT94-26	60.0	23.9	14.2	7.92	5.97	.362	2.16
KT94-38	65.0	23.9	14.2	7.92	5.97	.362	2.16
KT94-40	49.0	23.9	14.2	7.92	5.97	.362	2.16
KT94-45	76.0	23.9	14.2	7.92	5.97	.362	2.16
KT94-52	57.0	23.9	14.2	7.92	5.97	.362	2.16
KT106-1	32.5	26.9	14.5	11.1	6.49	.659	4.28
KT106-2	13.5	26.9	14.5	11.1	6.49	.659	4.28
KT106-2/93	13.5	26.9	14.5	11.1	6.49	.659	4.28
KT106-3	45.0	26.9	14.5	11.1	6.49	.659	4.28
KT106-6	11.6	26.9	14.5	11.1	6.49	.659	4.28
KT106-7	13.3	26.9	14.5	11.1	6.49	.659	4.28
KT106-8	45.0	26.9	14.5	11.1	6.49	.659	4.28
KT106-8/93	45.0	26.9	14.5	11.1	6.49	.659	4.28
KT106-15	34.5	26.9	14.5	11.1	6.49	.659	4.28
KT106-18	70.0	26.9	14.5	11.1	6.49	.659	4.28
KT106-26	93.0	26.9	14.5	11.1	6.49	.659	4.28
KT106-28	30.0	26.9	14.5	11.1	6.49	.659	4.28
KT106-33	40.0	26.9	14.5	11.1	6.49	.659	4.28
KT106-38	108.0	26.9	14.5	11.1	6.49	.659	4.28
KT106-40	81.0	26.9	14.5	11.1	6.49	.659	4.28
KT106-45	125.0	26.9	14.5	11.1	6.49	.659	4.28
KT106-52	95.0	26.9	14.5	11.1	6.49	.659	4.28
KT106-18A	49.0	26.9	14.5	7.92	6.49	.461	3.00
KT106-26A	67.0	26.9	14.5	7.92	6.49	.461	3.00
KT106-40A	58.0	26.9	14.5	7.92	6.49	.461	3.00
KT106-52A	67.0	26.9	14.5	7.92	6.49	.461	3.00

TECHNICAL INFORMATION & PHYSICAL CHARACTERISTICS



TYPICAL PART No.



Le: Mean Magnetic Path Length
 Ae: Cross Section Area
 Ve: Core Volume