





# YMSC-C2004ADBSWWN

December 25, 2007 Version 1.01



# **RECORDS OF REVISION**

DATE	REVISED NO.	REVISED DESCRIPTIONS	PREPARED	CHECKED	APPROVED
JUNE 2,2005	1.00	FIRST ISSUE	JOHE HE		
December 25, 2007	1.01	Amend wrappage and other content		ynn	



# **CONTENTS**

1.	GERENAL SPECIIFICATIIONS	1
2.	FEATURES	1
3.	MACHANICAL SPECIFICATION	2
4.	ABSOLUTE MAXIMUM RATING	2
5.	ELECTRICAL CHARACTERISTICS	2
6.	OPTICAL CHARACTERISTICS	3
7.	TIMING CHARACTERISTICS	4
8.	PIN ASSIGNMENT	5
9.	BLOCK DIAGRAM	5
10.	OUTLINE DIMENSIONS	6
11.	RELIABILITY	6
12.	QUALITY GUARANTEE	7
13.	INSPECIFICATION CRITERIA	8
14.	PRECAUTION FOR USING LCD MODULES	11
15.	USING LCD MODULES	13



# 1. GENERAL SPECIFICATIONS

## **1-1 SCOPE:**

This specification covers the delivery requirements for the liquid crystal display delivered by YAOYU TECHNOLOGY to Customer  $_{\circ}$ 

## 1-2 PRODUCTS:

Liquid Crystal Display Module (LCM)

## 1-3 MODULE NAME:

# YMSC-C2004ADBSWWN

# 2. FEATURES

Item	Standard Value
Display Type	20*4(5*8dots)
	□FSTN, Transflective,Positive,Extened TEMP
	■STN, BLUE, Transmissive, Negative, Wide TEMP
LCD Type	□STN, GREY,Transflective,Positive,Extened TEMP
	□STN, Yellow-GREEN,Positive,Extended TEMP
Driver Condition	LCD Module: 1/16 Duty, 1/5Bias
Viewing Direction	6 O'clock
	□YELLOW-GREEN LED BL
Backlight Type	■WHITE EDGE LED BL
	□CCFL WHITE BL
Weight	TBD
Interface	8-bit 6800MPU interface
Driver IC	S6A0066 OR SPLC780



# 3. MACHANICAL SPECIFICATIONS

ITEM	SPECIFICATIONS	UNIT
OUTLINE DIMEMSIONS	98(L) X60 (W) X 14.0MAX(H)	mm
VIEWING AREA	76.0(L)X26.0(W)	mm
ACTIVE AREA	70.4(L)X20.8(W)	mm
DISP.CONSTRUCTION	20*4(5*8dots)	
CHARACTER SIZE	2.95(L)X4.75(W)	mm
CHARACTER PITCH	3.55(L)X5.35(W)	mm
ASSY.TYPE	COB	
WEIGHT	TBD	g

Note: For detailed information please refer to LCM drawing

# 4. ABSOLUTE MAXIMUM RATING

ITEM	SYMBOL	CONDITION	STANDARD VALUE		UNIT	
			MIN	TYP	MAX	
POWER SUPPLY FOR LOGIC	VDD	Ta=25 ℃	-0.3		5.0	V
INPUT VOLTAGE	VIN	Ta=25 ℃	-0.3		VDD	V
OPERATION TEMPERATURE	TOPR		-10		+60	$^{\circ}\!\mathbb{C}$
STORAGE TEMPERATURE	TSTG		-20		+70	$^{\circ}\!\mathbb{C}$
STORAGE HUMIDITY	HD	Ta < 40 °C	-		90	%RH

NOTES:

(1) LCM should be grounded during handling LCM.


# 5. ELECTRICAL CHARACTERISTICS

ITEM	SYMBOL	CONDITION	DTANDARD VALUE		UNIT	
			MIN	TYP	MAX	
POWER SUPPLY VOLTAGE	VDD-VSS	Ta= +25 °C	4.8	5.0	5.2	V
POWER SUPPLY FOR LCD	Vlcd	Ta= +25°C		4.7		V
INPUT VOLTAGE "H" LEVEL	VIH		0.8VDD		VDD	V
INPUT VOLTAGE "L" LEVEL	VIL		VSS		0.2VDD	V
OUTPUT VOLTAGE "H" LEVEL	VOH	IOH=-0.5mA	0.8VDD		VDD	V
OUTPUT VOLTAGE "L" LEVEL	VOL	IOL=-0.5mA	VSS		0.2VDD	V
SUPPLY CURRENT	IDD	VDD = 5.0 V		3	5	mA
DACKI ICHT VOLTACE	VBL	LED(White)		3.0		V
BACKLIGHT VOLTAGE	VBL	LED(Yellow-Green)	-	4.2	-	V
BACKLIGHT CURRENT	IBL	LED(White)		-		mA
DACKLIOHI CURRENI	IDL	LED(Yellow-Green)	-	-		ША




## 6. OPTICAL CHARACTERISTICS

## (1) DEFINITION OF VIEWING ANGLE



## (4) Measuring Instruments For Electro-optical Characteristics





# 7. TIMING CHARACTERISTICS




Figure 6.Write Mode Timing Diagram




Figure 7. Read Mode Timing Diagram





Figure 8.Interface Mode With Extension Driving Timing Diagram



# 8. PIN ASSIGNMENT


Pin NO.	Symbol	Input/O utput	Description
1	GND	I	POWER Ground
2	VDD	I	SUPPLY LOGIC VOLTAGE
3	V0	I	POWER SUPPLEY FOR LCD DRIVER
4	RS	I	Register select. H: Data code input; L: instruction code input.
5	R/W	I	READ/WRITE SELECTION TERMIONAL(H:READ,L:WRITE
6	E	I	USED AS READ/WRITE ENABLE SIGNAL
7~14	DB0~DB7	I/O	DATA BUS
15	A	I	BACKLIGHT POSITIVE TERMINAL
16	K	I	BACKLIGHT NEGATIVE TERMINAL

# 9. BLOCK DIAGRAM





## **10. OUTLINE DIMENSIONS**



## 11. RELIABILITY

## **Content of Reliability Test**

		Environmental Test		
No.	Test Item	Content of Test	Test	Applicable
			Condition	Standard
1	High	Endurance test applying the high	70 ℃	
	temperature	storage temperature for a long time.	200 hrs	
	storage			
2	Low	Endurance test applying the low storage	-20 ℃	
	temperature	temperature for a long time.	200 hrs	
	storage			
3	High	Endurance test applying the electric	60 ℃	
	temperature	stress (Voltage & Current) and the	200 hrs	
	operation	thermal stress to the element for a long		
		time.		
4	Low	Endurance test applying the electric	-10 ℃	
	temperature	stress under low temperature for a long	200 hrs	
	operation	time.		
5	High	Endurance test applying the high	50 ℃ , 90%	MIL-202E-103B
	temperature	temperature and high humidity storage		JIS-C5023
	Humidity	for a long time.	RH	
	storage		96 hrs	



7	High temperature Humidity operation Temperature cycle	Endurance test applying the electric stress (Voltage & Current) and temperature humidity stress to the element for a long time.  Endurance test applying the low and high temperature cycle.  -10°C 25°C 60°C  30min. = 5min. = 30min.	50 °C , 90% .RH 96 hrs -10°C − 60°C 10 cycles	MIL-202E-103B JIS-C5023
		1 cycle		
Mech	anical Test			
8	Vibration test	Endurance test applying the vibration during transportation and using.	10-22Hz→	MIL-202E-201A JIS-C5025
			1.5mmp-p 22-500Hz	JIS-C7022-A-10
			→1.5G	
			Total 0.5hrs	
9	Shock test	Constructional and mechanical	50G half sign	MIL-202E-213B
		endurance test applying the shock	wave 1l	
		during transportation.	msedc 3	
			times of	
			each	
			direction	
10	Atmospheric	Endurance test applying the	115 mbar 40	MIL-202E-105C
	pressure test	atmospheric pressure during	hrs	
		transportation by air.		
Other	's			
11	Static	Endurance test applying the electric	VS=800V,	MIL-883B-3015.1
	electricity test	stress to the terminal.	RS=1.5 k	
			CS=100 pF	
			1 time	

Supply voltage for logic system = 3V. Supply voltage for LCD system = Operating voltage at 25℃.

# 12. QUALITY GUARANTEE

# **Acceptable Quality Level**

Each lot should satisfy the quality level defined as follows.

- Inspection method : MIL-STD-105E LEVEL II Normal one time sampling
- AQL



Partition	AQL	Definition
A: Major	0.4%	Functional defective as product
B: Minor	1.5%	Satisfy all functions as product but not satisfy cosmetic standard

## **Definition of 'LOT'**

One lot means the delivery quantity to customer at one time.

# **Conditions of Cosmetic Inspection**

#### **Environmental condition**

The inspection should be performed at the 1cm of height from the LCD module under 2 pieces of 40W white fluorescent lamps (Normal temperature  $20\sim25^{\circ}$ C and normal humidity  $60 \pm 15^{\circ}$ RH).

### **Inspection method**

The visual check should be performed vertically at more than 30cm distance from the LCD panel.

## **Driving voltage**

The VO value which the most optimal contrast can be obtained near the specified VO in the specification. (Within  $\pm 0.5$ V of typical value at 25 °C.).

## 13. INSPECTION CRITERIA

## 13.1 Module Cosmetic Criteria

No.	Item	Judgment Criterion	Partition
1	Difference in Spec.	None allowed	Major
2	Pattern peeling	No substrate pattern peeling and floating	Major
3	Soldering defects	No soldering missing No soldering bridge No cold soldering	Major Major Major
4	Resist flaw on substrate	Invisible copper foil ('0.5mm or more) on substrate pattern	Minor
5	Accretion of metallic Foreign matter	No soldering dust No accretion of metallic foreign matters (Not exceed '0.2mm)	Minor Minor
6	Stain	No stain to spoil cosmetic badly	Minor
7	Plate discoloring	No plate fading, rusting and discoloring	Minor



8	Solder amount  1. Lead parts	a. Soldering side of PCB Solder to form a 'Filet' all around the lead. Solder should not hide the lead form perfectly. (too much) b. Components side (In case of 'Through Hole PCB')	Minor
	2. Flat packages 3. Chips	Solder to reach the Components side of PCB.  Either 'Toe' (A) or 'Seal' (B) of the lead to be covered by 'Filet'.  Lead form to be assume over solder. A B  (3/2) H >h >(1/2) H	Minor

# 13.2 Screen Cosmetic Criteria (Non-Operating)

No.	Defect	Judgment Criterion		Partition
1	Spots	In accordance with Screen Cosmetic Criteria (Operating) No.1.		Minor
2	Lines	In accordance with Screen Cosmetic Criteria (Operating) No.2.		Minor
3	Bubbles in polarizer	Size: d mm $d \le 0.3$ $0.3 < d \le 1.0$ $1.0 < d \le 1.5$ 1.5 < d	Acceptable Qty in active area Disregard 3 1	Minor
4	Scratch	In accordance with spots and lines operating cosmetic criteria. When the light reflects on the panel surface, the scratches are not to be remarkable.		Minor
5	Allowable density	Above defects should be separated more than 30mm each other.		Minor
6	Coloration	Not to be noticeable coloration in the viewing area of the LCD panels. Back-lit type should be judged with back-lit on state only.		Minor
7	Contamination	Not to be noticeable.		Minor



# 13.3. Screen Cosmetic Criteria (Operating)

No.	Defect	<b>Judgment Criterion</b>		Partition
1	Spots	A) Clear Note:		
		Size : d mm	Acceptable Qty in active area	
		d ≤ 0.1	Disregard	
		0.1 < d ≤ 0.2	3	
		$0.2 < d \le 0.3$	2	
		0.3 < d	0	
		Including pin holes a within one pixel size.  B) Unclear Size:	nd defective dots which must be	
			1	
		Size : d mm	Acceptable Qty in active area	
		$d \le 0.2$ 0.2 < $d \le 0.5$	Disregard 6	
		0.2 < d ≤ 0.3 0.5 < d ≤ 0.7	2	
		0.7 < d	0	
2	Lines	A)Clear		Minor
		L 5.0 $_{2.0}$ $_{0.02}$ $_{0.05}$ $_{0.02}$ $_{0.05}$ Note : ( ) - Acceptable -Length (mm $_{\infty}$ - Disregare	See No. 1 0.1  Qty in active area L a) W - Width (mm)	
		B) Unclear  L 10.0	(0) See No. 1 0.3 V	

<sup>&#</sup>x27;Clear' = The shade and size are not changed by VO.

# 13.4. Screen Cosmetic Criteria (Operating) (Continued)

No.	Defect	Judgment Criterion	Partition
3	Rubbing line	Not to be noticeable.	
4	Allowable	Above defects should be separated more than 10mm	Minor

<sup>&#</sup>x27;Unclear' = The shade and size are changed by VO.



	density	each other.	
5	Rainbow	Not to be noticeable.	Minor
6	Dot size	To be 95% ~ 105% of the dot size (Typ.) in	Minor
		drawing. Partial defects of each dot (ex. pin-hole)	
		should be treated as 'Spot'. (see Screen Cosmetic	
		Criteria (Operating) No.1)	
7	Uneven	Uneven brightness must be BMAX / BMIN $\leq 2$	Minor
	brightness	- BMAX : Max. value by measure in 5 points	
	(only back-lit	- BMIN: Min. value by measure in 5 points	
	type module)	Divide active area into 4 vertically and	
		horizontally. Measure 5 points shown in the	
		following figure.	
		0 0	
		O: Measuring points	

#### Note:

- (1) Size : d = (long length + short length) / 2
- (2) The limit samples for each item have priority.
- (3) Complexed defects are defined item by item, but if the number of defects are defined in above table, the total number should not exceed 10.
- (4) In case of 'concentration', even the spots or the lines of 'disregarded' size should be not allowed. Following three situations should be treated as 'concentration'.
  - 7 or over defects in circle of '5mm.
  - 10 or over defects in circle of '10mm.
  - 20 or over defects in circle of '20mm.

#### 14. PRECAUTIONS FOR USING LCD MODULES

#### **Handing Precautions**

- (1) The display panel is made of glass. Do not subject it to a mechanical shock by dropping it or impact.
- (2) If the display panel is damaged and the liquid crystal substance leaks out, be sure not to get any in your mouth. If the substance contacts your skin or clothes, wash it off using soap and water.
- (3) Do not apply excessive force to the display surface or the adjoining areas since this may cause the color tone to vary.
- (4) The polarizer covering the display surface of the LCD module is soft and easily scratched. Handle this polarizer carefully.
- (5) If the display surface becomes contaminated, breathe on the surface and gently wipe it with a soft dry cloth. If it is heavily contaminated, moisten cloth with one of the



## following solvents:

- Isopropyl alcohol
- Ethyl alcohol
- (6) Solvents other than those above-mentioned may damage the polarizer. Especially, do not use the following.
  - Water
  - Ketone
  - Aromatic solvents
- (7) Exercise care to minimize corrosion of the electrode. Corrosion of the electrodes is accelerated by water droplets, moisture condensation or a current flow in a high-humidity environment.
- (8) Install the LCD Module by using the mounting holes. When mounting the LCD module make sure it is free of twisting, warping and distortion. In particular, do not forcibly pull or bend the IO cable or the backlight cable.
  - (9) Do not attempt to disassemble or process the LCD module.
  - (10) NC terminal should be open. Do not connect anything.
  - (11) If the logic circuit power is off, do not apply the input signals.
- (12) To prevent destruction of the elements by static electricity, be careful to maintain an optimum work environment.
  - Be sure to ground the body when handling the LCD modules.
  - Tools required for assembling, such as soldering irons, must be properly grounded.
- To reduce the amount of static electricity generated, do not conduct assembling and other work under dry conditions.
- The LCD module is coated with a film to protect the display surface. Exercise care when peeling off this protective film since static electricity may be generated.

#### **Storage Precautions**

When storing the LCD modules, avoid exposure to direct sunlight or to the light of fluorescent lamps. Keep the modules in bags (avoid high temperature high humidity and low temperatures below 0 C). Whenever possible, the LCD modules should be stored in the same conditions in which they were shipped from our company.

#### **Others**

Liquid crystals solidify under low temperature (below the storage temperature range) leading to defective orientation or the generation of air bubbles (black or white). Air bubbles may also be generated if the module is subject to a low temperature.

If the LCD modules have been operating for a long time showing the same display patterns, the display patterns may remain on the screen as ghost images and a slight contrast irregularity may also appear. A normal operating status can be regained by suspending use for some time. It should be noted that this phenomenon does not adversely affect performance reliability.

To minimize the performance degradation of the LCD modules resulting from destruction caused by static electricity etc., exercise care to avoid holding the following



sections when handling the modules.

- Exposed area of the printed circuit board.
- Terminal electrode sections.

## 15. USING LCD MODULES

#### **Liquid Crystal Display Modules**


- LCD is composed of glass and polarizer. Pay attention to the following items when handling.
- (1) Please keep the temperature within specified range for use and storage. Polarization degradation, bubble generation or polarizer peel-off may occur with high temperature and high humidity.
- (2) Do not touch, push or rub the exposed polarizers with anything harder than an HB pencil lead (glass, tweezers, etc.).
- (3) N-hexane is recommended for cleaning the adhesives used to attach front/rear polarizers and reflectors made of organic substances which will be damaged by chemicals such as acetone, toluene, ethanol and isopropylalcohol.
- (4) When the display surface becomes dusty, wipe gently with absorbent cotton or other soft material like chamois soaked in petroleum benzin. Do not scrub hard to avoid damaging the display surface.
- (5) Wipe off saliva or water drops immediately, contact with water over a long period of time may cause deformation or color fading.
  - (6) Avoid contacting oil and fats.
- (7) Condensation on the surface and contact with terminals due to cold will damage, stain or dirty the polarizers. After products are tested at low temperature they must be warmed up in a container before coming is contacting with room temp erature air.
  - (8) Do not put or attach anything on the display area to avoid leaving marks on.
- (9) Do not touch the display with bare hands. This will stain the display area and degradate insulation between terminals (some cosmetics are determinated to the polarizers).
  - (10) As glass is fragile. It tends to become or chipped during handling especially on the edges. Please avoid dropping or jarring.

### **Installing LCD Modules**

The hole in the printed circuit board is used to fix LCM as shown in the picture below. Attend to the following items when installing the LCM.

(1) Cover the surface with a transparent protective plate to protect the polarizer and LC cell.





(2) When assembling the LCM into other equipment, the spacer to the bit between the LCM and the fitting plate should have enough height to avoid causing stress to the module surface, refer to the individual specifications for measurements. The measurement tolerance should be 0.1mm.

#### **Precaution for Handing LCD Modules**

Since LCM has been assembled and adjusted with a high degree of precision, avoid applying excessive shocks to the module or making any alterations or modifications to it.

- (1) Do not alter, modify or change the the shape of the tab on the metal frame.
- (2) Do not make extra holes on the printed circuit board, modify its shape or change the positions of components to be attached.
  - (3) Do not damage or modify the pattern writing on the printed circuit board.
- (4) Absolutely do not modify the zebra rubber strip (conductive rubber) or heat seal connector.
- (5) Except for soldering the interface, do not make any alterations or modifications with a soldering iron.
  - (6) Do not drop, bend or twist LCM.

### **Electro-Static Discharge Control**

Since this module uses a CMOS LSI, the same careful attention should be paid to electrostatic discharge as for an ordinary CMOS IC.

- (1) Make certain that you are grounded when handing LCM.
- (2) Before remove LCM from its packing case or incorporating it into a set, be sure the module and your body have the same electric potential.
- (3) When soldering the terminal of LCM, make certain the AC power source for the soldering iron does not leak.
- (4) When using an electric screwdriver to attach LCM, the screwdriver should be of ground potentiality to minimize as much as possible any transmission of electromagnetic waves produced sparks coming from the commutator of the motor.
- (5) As far as possible make the electric potential of your work clothes and that of the work bench the ground potential.
- (6) To reduce the generation of static electricity be careful that the air in the work is not too dried. A relative humidity of 50%60% is recommended.

#### Precaution for soldering to the LCM

(1) Observe the following when soldering lead wire, connector cable and etc. to the



#### LCM.

- Soldering iron temperature : 280 C 10 C.

- Soldering time : 3-4 sec.


- Solder : eutectic solder.

If soldering flux is used, be sure to remove any remaining flux after finishing to soldering operation. (This does not apply in the case of a non-halogen type of flux.) It is recommended that you protect the LCD surface with a cover during soldering to prevent any damage dur to flux spatters.

- (2) When soldering the electroluminescent panel and PC board, the panel and board should not be detached more than three times. This maximum number is determined by the temperature and time conditions mentioned above, though there may be some variance depending on the temperature of the soldering iron.
- (3) When remove the electoluminescent panel from the PC board, be sure the solder has completely melted, the soldered pad on the PC board could be damaged.

### **Precautions for Operation**

- (1) Viewing angle varies with the change of liquid crystal driving voltage (VO). Adjust VO to show the best contrast.
  - (2) Driving the LCD in the voltage above the limit shortens its life.
- (3) Response time is greatly delayed at temperature below the operating temperature range. However, this does not mean the LCD will be out of the order. It will recover when it returns to the specified temperature range.
- (4) If the display area is pushed hard during operation, the display will become abnormal. However, it will return to normal if it is turned off and then back on.
- (5) Condensation on terminals can cause an electrochemical reaction disrupting the terminal circuit. Therefore, it must be used under the relative condition of 40 °C, 50% RH.
- (6) When turning the power on, input each signal after the positive/negative voltage becomes stable.



#### Storage

When storing LCDs as spares for some years, the following precaution are necessary.

- (1) Store them in a sealed polyethylene bag. If properly sealed, there is no need for dessicant.
- (2) Store them in a dark place. Do not expose to sunlight or fluorescent light, keep the temperature between 0 C and 35 C.
  - (3) The polarizer surface should not come in contact with any other objects. (We



advise you to store them in the container in which they were shipped.)

#### Safety

- (1) It is recommended to crush damaged or unnecessary LCDs into pieces and wash them off with solvents such as acetone and ethanol, which should later be burned.
- (2) If any liquid leakes out of a damaged glass cell and comes in contact with the hands, wash off thoroughly with soap and water.

#### **Limited Warranty**

Unless agreed between YAOYU and customer, YAOYU will replace or repair any of its LCD modules which are found to be functionally defective when inspected in accordance with YAOYU LCD acceptance standards (copies available upon request) for a period of one year from date of shipments. Cosmetic/visual defects must be returned to YAOYU within 90 days of shipment. Confirmation of such date shall be based on freight documents. The warranty liability of YAOYU limited to repair and/or replacement on the terms set forth above. YAOYU will not be responsible for any subsequent or consequential events.

#### **Return LCM under warranty**

No warranty can be granted if the precautions stated above have been disregarded.

The typical examples of violations are:

- Broken LCD glass.
- PCB eyelet's damaged or modified.
- PCB conductors damaged.
- Circuit modified in any way, including addition of components.
- PCB tampered with by grinding, engraving or painting varnish.
- soldering to or modifying the bezel in any manner.

Module repairs will be invoiced to the customer upon mutual agreement. Modules must be returned with sufficient description of the failures or defects. Any connectors or cable installed by the customer must be removed completely without damaging the PCB eyelet's, conductors and terminals.