

Keysight N9311X

RF and Microwave Accessory Kit for Low-cost Handheld and Benchtop Solutions

Technical Overview



N9311X RF and Microwave Accessory Kit complements the Keysight Technologies, Inc. low-cost handheld and benchtop solutions (N934xC/N9340B/N9330B/N9310A/N9320B/N9000A).

These accessories provide you with a complete solution for your measurement needs.



N9311X-500



N9311X-501



N9311X-504

Antenna

Antenna	Frequency range	Antenna gain	Weight	Dimension	Other information
N9311x-500	70 to 1000 MHz	N/A	65 g	113.5 cm (full length), 19.5 cm (retracted), 10 stages	180 degrees tilt angle adjustable telescopic whip antenna, shipped with type N(m) to type BNC(f) adapter, 50 Ω
N9311x-501	700 to 2500 MHz	N/A	70 g	210 x 20 mm	Omni-directional, shipped with type N(m) to type SMA(f) adapter, 50 Ω
N9311x-504 ¹	700 MHz to 4 GHz	4 dBi	270 g	340 x 200 x 25 mm	Logarithmic-periodic, 50 Ω
N9311x-508 ¹	680 MHz to 8 GHz	5 dBi	250 g	340 x 200 x 25 mm	Logarithmic-periodic, 50 Ω
N9311x-518 ¹	680 MHz to 18 GHz	5 dBi	250 g	340 x 200 x 25 mm	Logarithmic-periodic, 50 Ω

1. N9311x-504/508/518 shipping package includes: Antenna, aluminum design carrycase, detachable pistol grip with "miniature tripod" mode, and type N to type SMA toolset



N9311X-551

Bandpass Filter

Bandpass filter	3 dB passband	Rejection	Insertion loss	VSWR	Impedance
N9311X-550	814 to 850 MHz	≥ 36 dBc @ 740 MHz ≥ 36 dBc @ 915 MHz	≤ 0.5 dB	≤ 1.5	50 Ω
N9311X-551	880 to 915 MHz	≥ 35 dBc @ 862 MHz ≥ 35 dBc @ 932 MHz	≤ 1 dB	≤ 1.5	50 Ω
N9311X-552	1707.5 to 1787.5 MHz	≥ 35 dBc @ 1550 MHz ≥ 35 dBc @ 1925 MHz	≤ 0.4 dB	≤ 1.5	50 Ω
N9311X-553	1845 to 1915 MHz	≥ 35 dBc @ 1770 MHz ≥ 35 dBc @ 1986 MHz	≤ 0.6 dB	≤ 1.5	50 Ω
N9311X-554	1910 to 1990 MHz	≥ 35 dBc @ 1825 MHz ≥ 35 dBc @ 2070 MHz	≤ 0.6 dB	≤ 1.5	50 Ω



Cable

N9311X-580	N9311X-581	N9311X-582	N9311X-583	N9311X-585	N9311X-586
Phase stable, 1.5 m, type N(m) to N(m), DC to 18 GHz, 50 Ω	Phase stable, 3.0 m, type N(m) to N(m), DC to 18 GHz, 50 Ω	1.5 m, type SMA(m) to SMA(m), DC to 8 GHz, 50 Ω	1.5 m, type BNC(m) to BNC(m), DC to 1 GHz, 50 Ω	Phase stable, 1.5 m, type N(m) to DIN(f), DC to 18 GHz, 50 Ω	Phase stable, 1.5 m, type N(m) to N(f), DC to 18 GHz, 50 Ω

Adapter

N9311X-545	N9311X-541	N9311X-540	N9311X-543	N9311X-542	N9311X-544	N9311X-546	N9311X-547
Type N(f) to SMA(m), DC to 12.4 GHz, 50 Ω	Type N(m) to SMA(f), DC to 12.4 GHz, 50 Ω	Type N(m) to BNC(f), DC to 2 GHz, 50 Ω	Type N(f) to BNC(m), DC to 4 GHz, 50 Ω	Type N(f) to 7/16 DIN(f), DC to 7.5 GHz, 50 Ω	Type N(f) to 7/16 DIN(m), DC to 7.5 GHz, 50 Ω	Type N(f) to N(f), DC to 18 GHz, 50 Ω	Type N(m) to 7/16 DIN(f), DC to 7.5 GHz, 50 Ω



N9311X-561


Attenuator

Attenuator	Attenuation	Port	VSWR	Power rating	Length	Weight	Impedance
N9311X-560	40 dB	N(m)toN(f)	DC to 4.0 GHz: 1.15 4.0 to 8.5 GHz: 1.2	50 watts average	111.76mm(4.37 inch)	0.28 kg/10 oz	50 Ω
N9311X-561	40 dB	N(m)toN(f)	DC to 4.0 GHz: 1.15 4.0 to 8.5 GHz: 1.2	10 watts average	67.3 mm (2.65 inch)	0.085 kg/3oz	50 Ω
N9311X-562	40 dB	N(m)toN(f)	DC to 4.0 GHz: 1.15 4.0 to 8.5 GHz: 1.2	100 watts average	112.01mm(4.41 inch)	1.5 kg/3.3 lb	50 Ω

Calibrator

Calibrator	Type	Frequency range	Directivity	Impedance	Connector	Other
N9311x-201	Mechanical calibrator	DC to 7 GHz	42 dB	50 Ω	N(m)	3-in-1 OSL

Close Field Probe Set



Keysight low-cost Handheld and Bench Instruments

Title	Website
N934xC/N9340B Handheld Spectrum Analyzer(HSA)	www.keysight.com/find/hsa
N9330B Handheld Cable and Antenna Tester	www.keysight.com/find/n9330
N9000A CXA Signal Analyzer	www.keysight.com/find/cxa
N9310A RF Signal Generator	www.keysight.com/find/n9310a
N9320B RF Spectrum Analyzer	www.keysight.com/find/n9320b

myKeysight

myKeysight

www.keysight.com/find/mykeysight

A personalized view into the information most relevant to you.



www.axiestandard.org

AdvancedTCA® Extensions for Instrumentation and Test (AXIe) is an open standard that extends the AdvancedTCA for general purpose and semiconductor test. Keysight is a founding member of the AXIe consortium. ATCA®, AdvancedTCA®, and the ATCA logo are registered US trademarks of the PCI Industrial Computer Manufacturers Group.



www.lxistandard.org

LAN eXtensions for Instruments puts the power of Ethernet and the Web inside your test systems. Keysight is a founding member of the LXI consortium.



www.pxisa.org

PCI eXtensions for Instrumentation (PXI) modular instrumentation delivers a rugged, PC-based high-performance measurement and automation system.



Three-Year Warranty

www.keysight.com/find/ThreeYearWarranty

Keysight's commitment to superior product quality and lower total cost of ownership. The only test and measurement company with three-year warranty standard on all instruments, worldwide.



Keysight Assurance Plans

www.keysight.com/find/AssurancePlans

Up to five years of protection and no budgetary surprises to ensure your instruments are operating to specification so you can rely on accurate measurements.



www.keysight.com/go/quality

Keysight Technologies, Inc.
DEKRA Certified ISO 9001:2008
Quality Management System

Keysight Infoline

Keysight Infoline

www.keysight.com/find/service

Keysight's insight to best in class information management. Free access to your Keysight equipment company reports and e-library.

Keysight Channel Partners

www.keysight.com/find/channelpartners

Get the best of both worlds: Keysight's measurement expertise and product breadth, combined with channel partner convenience.

www.keysight.com/find/n9311x

For more information on Keysight Technologies' products, applications or services, please contact your local Keysight office. The complete list is available at: www.keysight.com/find/contactus

Americas

Canada	(877) 894 4414
Brazil	55 11 3351 7010
Mexico	001 800 254 2440
United States	(800) 829 4444

Asia Pacific

Australia	1 800 629 485
China	800 810 0189
Hong Kong	800 938 693
India	1 800 11 2626
Japan	0120 (421) 345
Korea	080 769 0800
Malaysia	1 800 888 848
Singapore	1 800 375 8100
Taiwan	0800 047 866
Other AP Countries	(65) 6375 8100

Europe & Middle East

Austria	0800 001122
Belgium	0800 58580
Finland	0800 523252
France	0805 980333
Germany	0800 6270999
Ireland	1800 832700
Israel	1 809 343051
Italy	800 599100
Luxembourg	+32 800 58580
Netherlands	0800 0233200
Russia	8800 5009286
Spain	800 000154
Sweden	0200 882255
Switzerland	0800 805353
	Opt. 1 (DE)
	Opt. 2 (FR)
	Opt. 3 (IT)
United Kingdom	0800 0260637

For other unlisted countries:
www.keysight.com/find/contactus
(BP-04-23-15)